

From Dr. Daniel O'Brien, CMO at Vestibular Training Service:

1. Williams-Gray CH, Mason SL, Evans JR, Foltynie T, Brayne C, Robbins TW, et al.. The CamPaIGN study of Parkinson's disease: 10-year outlook in an incident population-based cohort. *J Neurol Neurosurg Psychiatry* (2013) 84:1258–64. 10.1136/jnnp-2013-305277 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
2. Van Den Eeden SK, Tanner CM, Bernstein AL, Fross RD, Leimpeter A, Bloch DA, et al.. Incidence of Parkinson's disease: variation by age, gender, and race/ethnicity. *Am J Epidemiol.* (2003) 157:1015–22. 10.1093/aje/kwg068 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
3. Tysnes OB, Storstein A. Epidemiology of Parkinson's disease. *J Neural Transm (Vienna)*. (2017) 124:901–5. 10.1007/s00702-017-1686-y [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
4. Pastor MA, Day BL, Marsden CD. Vestibular induced postural responses in Parkinson's disease. *Brain.* (1993) 116(Pt 5):1177–90. 10.1093/brain/116.5.1177 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
5. Cronin T, Arshad Q, Seemungal BM. Vestibular deficits in neurodegenerative disorders: balance, dizziness, and spatial disorientation. *Front Neurol.* (2017) 8:538. 10.3389/fneur.2017.00538 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
6. Stiles L, Smith PF. The vestibular-basal ganglia connection: balancing motor control. *Brain Res.* (2015) 1597:180–8. 10.1016/j.brainres.2014.11.063 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
7. Yamamoto Y, Struzik ZR, Soma R, Ohashi K, Kwak S. Noisy vestibular stimulation improves autonomic and motor responsiveness in central neurodegenerative disorders. *Ann Neurol.* (2005) 58:175–81. 10.1002/ana.20574 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
8. Wilkinson D, Podlowska A, Sakel M. A durable gain in motor and non-motor symptoms of Parkinson's Disease following repeated caloric vestibular stimulation: a single-case study. *NeuroRehabilitation.* (2016) 38:179–82. 10.3233/NRE-161308 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
9. Reichert WH, Doolittle J, McDowell FH. Vestibular dysfunction in Parkinson disease. *Neurol.* (1982) 32:1133–8. 10.1212/WNL.32.10.1133 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
10. Cipparrone L, Ginanneschi A, Degl'Innocenti F, Porzio P, Pagnini P, Marini P. Electro- oculographic routine examination in Parkinson's disease. *Acta Neurol*

Scand. (1988) 77:6–11. 10.1111/j.1600-0404.1988.tb06966.x [[PubMed](#)]
[[CrossRef](#)] [[Google Scholar](#)]

11. Vitale C, Marcelli V, Furia T, Santangelo G, Cozzolino A, Longo K, et al.. Vestibular impairment and adaptive postural imbalance in Parkinsonian patients with lateral trunk flexion. *Mov Disord.* (2011) 26:1458–63. 10.1002/mds.23657 [[PubMed](#)]
[[CrossRef](#)] [[Google Scholar](#)]

12. Lv W, Guan Q, Hu X, Chen J, Jiang H, Zhang L, et al.. Vestibulo-ocular reflex abnormality in Parkinson's disease detected by video head impulse test. *Neurosci Lett.* (2017) 657:211–4. 10.1016/j.neulet.2017.08.021 [[PubMed](#)]
[[CrossRef](#)] [[Google Scholar](#)]

13. Pollak L, Prohorov T, Kushnir M, Rabey M. Vestibulo-cervical reflexes in idiopathic Parkinson's disease. *Neurophysiol Clin.* (2009) 39:235–40. 10.1016/j.neucli.2009.07.001 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

14. Pötter-Nerger M, Reich MM, Colebatch JG, Deuschl G, Volkmann J. Differential effect of dopa and subthalamic stimulation on vestibular activity in Parkinson's disease. *Mov Disord.* (2012) 27:1268–75. 10.1002/mds.25061 [[PubMed](#)]
[[CrossRef](#)] [[Google Scholar](#)]

15. de Natale ER, Ginatempo F, Paulus KS. Paired neurophysiological and clinical study of the brainstem at different stages of Parkinson's disease. *Clin Neurophysiol.* (2015) 126:1871–8. 10.1016/j.clinph.2014.12.017 [[PubMed](#)]
[[CrossRef](#)] [[Google Scholar](#)]

16. de Natale ER, Ginatempo F, Paulus KS, Pes GM, Manca A, Tolu E, et al.. Abnormalities of vestibular-evoked myogenic potentials in idiopathic Parkinson's disease are associated with clinical evidence of brainstem involvement. *Neurol Sci.* (2015) 36:995–1001. 10.1007/s10072-014-2054-4 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

17. Pötter-Nerger M, Govender S, Deuschl G, Volkmann J, Colebatch JG. Selective changes of ocular vestibular myogenic potentials in Parkinson's disease. *Mov Disord.* (2015) 30:584–9. 10.1002/mds.26114 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

18. Venhovens J, Meulstee J, Bloem BR. Neurovestibular analysis and falls in Parkinson's disease and atypical Parkinsonism. *Eur J Neurosci.* (2016) 43:1636–46. 10.1111/ejn.13253 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

19. Shalash AS, Hassan DM, Elrassas HH, Salama MM, Méndez-Hernández E, Salas-Pacheco JM, et al.. Auditory- and vestibular-evoked potentials correlate with motor and non-motor features of Parkinson's Disease. *Front Neurol.* (2017) 8:55.

10.3389/fneur.2017.00055 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

20. Huh YE, Hwang S, Kim K, Chung WH, Youn J, Cho JW. Postural sensory correlates of freezing of gait in Parkinson's disease. *Parkinsonism Relat Disord.* (2016) 25:72–7. 10.1016/j.parkreldis.2016.02.004 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

21. Vidal PP, Cullen K, Curthoys IS, Du Lac S, Holstein G, Idoux E, et al. The vestibular system. In Paxinos G., editor. *The Rat Nervous System, 4th ed.*, Chapter 28, San Diego, CA: Academic Press; (2014). p. 805–64. [[Google Scholar](#)]

22. Anderson TJ, MacAskill MR. Eye movements in patients with neurodegenerative disorders. *Nat Rev Neurol.* (2013) 9:74–85. 10.1038/nrneurol.2012.273 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

23. Videnovic A. Disturbances of sleep and alertness in Parkinson's Disease. *Curr Neurol Neurosci Rep.* (2018) 18:29. 10.1007/s11910-018-0838-2 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

24. Neikrug AB, Ancoli-Israel S. Diagnostic tools for REM sleep behavior disorder. *Sleep Med Rev.* (2012) 16:415–29. 10.1016/j.smrv.2011.08.004 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

25. Bronstein AM, Yardley L, Moore AP, Cleeves L. Visually and posturally mediated tilt illusion in Parkinson's disease and in labyrinthine defective subjects. *Neurol* (1996) 47:651–6. 10.1212/WNL.47.3.651 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

26. Scocco DH, Wagner JN, Racosta J, Chade A, Gershanik OS. Subjective visual vertical in Pisa syndrome. *Parkinsonism Relat Disord.* (2014) 20:878–83. 10.1016/j.parkreldis.2014.04.030 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

27. Barnett-Cowan M, Dyde RT, Fox SH, Moro E, Hutchison WD, Harris LR. Multisensory determinants of orientation perception in Parkinson's disease. *Neuroscience* (2010) 167:1138–50. 10.1016/j.neuroscience.2010.02.065 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

28. Bertolini G, Wicki A, Baumann CR. Impaired tilt perception in Parkinson's disease: a central vestibular integration failure. *PLoS ONE* (2015) 10:e0124253. 10.1371/journal.pone.0124253 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

29. Gandor F, Basta D, Gruber D, Poewe W, Ebersbach G. Subjective visual vertical in PD patients with lateral trunk flexion. *Parkinsons Dis.* (2016) 2016:7489105. 10.1155/2016/7489105 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

30. Montgomery P, Silverstein P, Wichmann R, Fleischaker K, Andberg M. Spatial updating in Parkinson's disease. *Brain Cogn.* (1993) 23:113–26. 10.1006/brcg.1993.1050 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
31. Putcha D, Ross RS, Rosen ML, Norton DJ, Cronin-Golomb A, Somers DC, et al.. Functional correlates of optic flow motion processing in Parkinson's disease. *Front Integr Neurosci.* (2014) 8:57. 10.3389/fnint.2014.00057 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
32. Dastgheib ZA, Lithgow B, Moussavi Z. Application of fractal dimension on vestibular response signals for diagnosis of Parkinson's disease. *Conf Proc IEEE Eng Med Biol Soc.* (2011) 2011:7892–5. 10.1109/IEMBS.2011.6091946 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
33. Dastgheib ZA, Lithgow B, Moussavi Z. Vestibular spontaneous response as a potential signature for Parkinson's disease. *Conf Proc IEEE Eng Med Biol Soc.* (2012) 2012:3704–7. 10.1109/EMBC.2012.6346771 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
34. Dastgheib ZA, Lithgow B, Moussavi Z. Diagnosis of Parkinson's disease using electrovestibulography. *Med Biol Eng Comput.* (2012) 50:483–91. 10.1007/s11517-012-0890-z [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
35. Shoushtarian M, Lithgow B. The relationship between electrovestibulography and Parkinson's disease severity. *Conf Proc IEEE Eng Med Biol Soc.* (2007) 2007:2377–80. 10.1109/IEMBS.2007.4352805 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
36. Lithgow BJ, Shoushtarian M. Parkinson's disease: disturbed vestibular function and levodopa. *J Neurol Sci.* (2015) 353:49–58. 10.1016/j.jns.2015.03.050 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
37. Weinrich M, Bhatia R. Abnormal eye-head coordination in Parkinson's disease patients after administration of levodopa: a possible substrate of levodopa-induced dyskinesia. *J Neurol Neurosurg Psychiatry* (1986) 49:785–90. 10.1136/jnnp.49.7.785 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
38. Hwang S, Agada P, Grill S, Kiemel T, Jeka JJ. A central processing sensory deficit with Parkinson's disease. *Exp Brain Res.* (2016) 234:2369–79. 10.1007/s00221-016-4642-4 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
39. Seidel K, Mahlke J, Siswanto S, Krüger R, Heinsen H, Auburger G, et al.. The brainstem pathologies of Parkinson's Disease and Dementia with Lewy bodies. *Brain Pathol.* (2015) 25:121–35. 10.1111/bpa.12168 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

40. Müller ML, Albin RL, Kotagal V, Koeppe RA, Scott PJ, Frey KA, et al.. Thalamic cholinergic innervation and postural sensory integration function in Parkinson's disease. *Brain*. (2013) 136(Pt 11):3282–9. 10.1093/brain/awt247 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
41. Aravamuthan BR, Angelaki DE. Vestibular responses in the macaque pedunculo-pontine nucleus and central mesencephalic reticular formation. *Neurosci*. (2012) 223:183–99. 10.1016/j.neuroscience.2012.07.054 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
42. Aitken P, Zheng Y, Smith PF. Effects of bilateral vestibular deafferentation in rat on hippocampal theta response to somatosensory stimulation, acetylcholine release and cholinergic neurons in the pedunculo-pontine tegmental nucleus. *Brain Struct Funct*. (2017) 222:3319–32. 10.1007/s00429-017-1407-1 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
43. Cai J, Lee S, Ba F, Garg S, Kim LJ, Liu A, et al.. Galvanic vestibular stimulation (GVS) augments deficient pedunculo-pontine nucleus (PPN) connectivity in mild Parkinson's Disease: fMRI effects of different stimuli. *Front Neurosci*. (2018) 12:101. 10.3389/fnins.2018.00101 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
44. Wellings TP, Brichta AM, Lim R. Altered neurofilament protein expression in the lateral vestibular nucleus in Parkinson's disease. *Exp Brain Res*. (2017) 235:3695–708. 10.1007/s00221-017-5092-3 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
45. Smith PF. The vestibular system and cognition. *Curr Opin Neurol*. (2017) 30:84–9. 10.1097/WCO.0000000000000403 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
46. Rancz EA, Moya J, Drawitsch F, Brichta AM, Canals S, Margie TW. Widespread vestibular activation of the rodent cortex. *J Neurosci*. (2015) 35:5926–34. 10.1523/JNEUROSCI.1869-14.2015 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
47. Shepherd GM. Corticostriatal connectivity and its role in disease. *Nat Rev Neurosci*. (2013) 14:278–91. 10.1038/nrn3469 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
48. Garcia-Rill E. The basal ganglia and the locomotor regions. *Brain Res Rev*. (1986) 11:47–63. 10.1016/0165-0173(86)90009-3 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
49. Kelley A, Domesick V. The distribution of the projection from the hippocampal formation to the nucleus accumbens in the rat: an anterograde and retrograde-

- horseradish peroxidase study. *Neuroscience* (1982) 7:2321–35. 10.1016/0306-4522(82)90198-1 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
50. Muskens L. An anatomico-physiological study of the posterior longitudinal bundle in its relation to forced movements. *Brain* (1914) 36:352–426. 10.1093/brain/36.3-4.352 [[CrossRef](#)] [[Google Scholar](#)]
51. Muskens L. The central connections of the vestibular nuclei with the corpus striatum, and their significance for ocular movements and for locomotion. *Brain* (1922) 45:454–78. 10.1093/brain/45.3-4.454 [[CrossRef](#)] [[Google Scholar](#)]
52. Potegal M, Copack P, de Jong JMBV, Krauthamer G, Gilman S. Vestibular input to the caudate nucleus. *Exp Neurol.* (1971) 32:448–65. 10.1016/0014-4886(71)90011-2 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
53. Liedgren S, Schwarz D. Vestibular evoked potentials in thalamus and basal ganglia of the squirrel monkey (*Saimiri sciureus*). *Acta Otolaryngol.* (1976) 81:73–82. 10.3109/00016487609107480 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
54. Spiegel EA, Szekely EG, Gildenberg PL. Vestibular responses in midbrain, thalamus, and basal ganglia. *Arch Neurol.* (1965) 12:258–69. 10.1001/archneur.1965.00460270034005 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
55. Segundo J, Machne X. Unitary responses to afferent volleys in lenticular nucleus and claustrum. *J Neurophysiol.* (1956) 19:325–39. 10.1152/jn.1956.19.4.325 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
56. Matsunami K, Cohen B. Afferent modulation of unit activity in globus pallidus and caudate nucleus: changes induced by vestibular nucleus and pyramidal tract stimulation. *Brain Res.* (1975) 91:140–6. 10.1016/0006-8993(75)90473-4 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
57. Barter JW, Castro S, Sukharnikova T, Rossi MA, Yin HH. The role of the substantia nigra in posture control. *Eur J Neurosci.* (2014) 39:1465–73. 10.1111/ejn.12540 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
58. Kim N, Barter JW, Sukharnikova T, Yin HH. Striatal firing rate reflects head movement velocity. *Eur J Neurosci.* (2014) 40:3481–90. 10.1111/ejn.12722 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
59. Stiles L, Reynolds JN, Napper R, Zheng Y, Smith PF. Single neuron activity and c-Fos expression in the rat striatum following electrical stimulation of the peripheral vestibular system. *Physiol Reps.* (2018) 6:e13791. 10.14814/phy2.13791 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

60. Stiles L, Zheng Y, Smith PF. The effects of electrical stimulation of the peripheral vestibular system on the release of neurochemicals in the rat striatum. *PLoS ONE* (2018) 13:e0205869 10.1371/journal.pone.0205869 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
61. Lai H, Tsumori T, Shiroyama T, Yokota S, Nakano K, Yasui Y. Morphological evidence for a vestibulo-thalamo-striatal pathway via the parafascicular nucleus in the rat. *Brain Res.* (2000) 872:208–14. 10.1016/S0006-8993(00)02457-4 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
62. Kim N, Choi MA, Koo H, Park BR, Han SW, Cheong C, et al.. Activation of the thalamic parafascicular nucleus by electrical stimulation of the peripheral vestibular nerve in rats. *Exp Brain Res.* (2017) 235:1617–25. 10.1007/s00221-016-4864-5 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
63. Schulz JM, Redgrave P, Mehring C, Aertsen A, Clements KM, Wickens JR, et al.. Short-latency activation of striatal spiny neurons via subcortical visual pathways. *J Neurosci.* (2009) 29:6336–6347. 10.1523/JNEUROSCI.4815-08.2009 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
64. Giardino L, Zanni M, Pignataro O. DA1 and DA2 receptor regulation in the striatum of young and old rats after peripheral vestibular lesion. *Brain Res.* (1996) 736:111–7. 10.1016/0006-8993(96)00692-0 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
65. Stiles L, Zheng Y, Darlington CL, Smith PF. The D2 dopamine receptor and locomotor hyperactivity following bilateral vestibular deafferentation in the rat. *Behav Brain Res.* (2012) 227:150–8. 10.1016/j.bbr.2011.11.006 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
66. Eugène D, Deforges S, Vibert N, Vidal PP. Vestibular critical period, maturation of central vestibular neurones and locomotor control. *Ann NY Acad Sci.* (2009) 1164:180–7. 10.1111/j.1749-6632.2008.03727.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
67. Richter A, Ebert U, Nobrega J, Vallbacka JJ, Fedrowitz M, Löscher W. Immunohistochemical and neurochemical studies on nigral and striatal functions in the circling (ci) rat, a genetic animal model with spontaneous rotational behavior. *Neuroscience* (1999) 89:461–71. 10.1016/S0306-4522(98)00321-2 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
68. Schirmer M, Lessenich A, Lindemann S, Löscher W. Marked differences in response to dopamine receptor antagonism in two rat mutants, ci2 and ci3, with lateralized rotational behavior. *Behav Brain Res.* (2007) 180:218–25. 10.1016/j.bbr.2007.03.013 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

69. Antoine MW, Hubner CA, Arezzo JC, Hebert JM. A causative link between inner ear defects and long term striatal dysfunction. *Science* (2013) 341:1120–3. 10.1126/science.1240405 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
70. Pan L, Qi R, Wang J, Zhou W, Liu J, Cai Y. Evidence for a role of orexin/hypocretin system in vestibular lesion-induced locomotor abnormalities in rats. *Front Neurosci.* (2016) 10:355. 10.3389/fnins.2016.00355 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
71. Besnard S, Tighilet B, Chabert C, Hitier M, Toulouse J, Legall A, et al.. The balance of sleep: role of the vestibular sensory system. *Sleep Med Revs.* (2018) 42:220–8. 10.1016/j.smrv.2018.09.001 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
72. Aitken P, Benoit A, Zheng Y, Philoxene B, Le Gall A, Denise P, et al.. Hippocampal and striatal M1-muscarinic acetylcholine receptors are down-regulated following bilateral vestibular loss in rats. *Hippocampus* (2016) 26:1509–14. 10.1002/hipo.22651 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
73. Benoit A, Guillamin M, Aitken P, Smith PF, Philoxene B, Sola B, et al.. Flow cytometry for receptor analysis from *ex-vivo* brain tissue in adult rat. *J Neurosci Meth.* (2018) 304:11–23. 10.1016/j.jneumeth.2018.04.005 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
74. Benoit A, Besnard S, Guillamin M, Philoxene B, Sola B, Le Gall A, et al.. Differential regulation of NMDA receptor-expressing neurons in the rat hippocampus and striatum following bilateral vestibular loss demonstrated using flow cytometry. *Neurosci Lett.* (2018) 683:43–7. 10.1016/j.neulet.2018.06.035 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
75. Samoudi G, Nissbrandt H, Dutia MB, Bergquist F. Noisy galvanic vestibular stimulation promotes GABA release in the substantia nigra and improves locomotion in hemiparkinsonian rats. *PLoS ONE* (2012) 7:e29308. 10.1371/journal.pone.0029308 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
76. Bottini G, Sterzi R, Paulesu E, Vallar G, Cappa SF, Erminio F, et al.. Identification of the central vestibular projections in man: a positron emission tomography activation study. *Exp Brain Res.* (1994) 99:164–9. 10.1007/BF00241421 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
77. Lopez C, Blanke O, Mast FW. The human vestibular cortex revealed by coordinate-based activation likelihood estimation meta-analysis. *Neuroscience* (2012) 212:159–79. 10.1016/j.neuroscience.2012.03.028 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

78. Bense S, Stephan T, Yousry TA, Brandt T, Dieterich M. Multisensory cortical signal increases and decreases during vestibular galvanic stimulation (fMRI). *J Neurophysiol.* (2001) 85:886–99. 10.1152/jn.2001.85.2.886 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
79. Vitte E, Derosier C, Caritu Y, Berthoz A, Hasboun D, Soulie D. Activation of the hippocampal formation by vestibular stimulation: a functional magnetic resonance imaging study. *Exp Brain Res.* (1996) 112:523–6. 10.1007/BF00227958 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
80. Emri M, Kisely M, Lengyel Z, Balkay L, Márián T, Mikó L, et al.. Cortical projection of peripheral vestibular signaling. *J Neurophysiol.* (2003) 89:2639–46. 10.1152/jn.00599.2002 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
81. Stephane T, Deutschländer A, Nolte A, Schneider E, Wiesmann M, Brandt T, et al. Functional MRI of galvanic vestibular stimulation with alternating currents at different frequencies. *Neuroimage* (2005) 26:721–32. 10.1016/j.neuroimage.2005.02.049 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
82. Della-Justina HM, Gamba HR, Lukasova K, Nucci-da-Silva MP, Winkler AM, Amaro E, Jr. Interaction of brain areas of visual and vestibular simultaneous activity with fMRI. *Exp Brain Res.* (2014) 233:1–16. 10.1007/s00221-014-4107-6 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
83. Wurthmann S, Naegel S, Schulte Steinberg B, Theysohn N, Diener HC, Kleinschnitz C, et al.. Cerebral gray matter changes in persistent postural perceptual dizziness. *J Psychosom Res.* (2017) 103:95–101. 10.1016/j.jpsychores.2017.10.007 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
84. Jansen NL, Feuerecker R, Becker-Bense S, Zwergal A, Wulff M, Xiong G, et al. Assessment of cerebral dopamine D2/3 formula- receptors in patients with bilateral vestibular failure. *J Vest Res.* (2014) 24:403–13. 10.3233/VES-140526 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
85. Moss F, Ward LM, Sannita WG. Stochastic resonance and sensory information processing: a tutorial and review of application. *Clin Neurophysiol.* (2004) 115:267–81. 10.1016/j.clinph.2003.09.014 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
86. Pal S, Rosengren SM, Colebatch JG. Stochastic galvanic vestibular stimulation produces a small reduction in sway in Parkinson's disease. *J Vestib Res.* (2009) 19:137–42. 10.3233/VES-2009-0360 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
87. Kataoka H, Okada Y, Kiriya T, Kita Y, Nakamura J, Morioka S, et al.. Can postural instability respond to galvanic vestibular stimulation in patients with

Parkinson's Disease? *J Mov Disord.* (2016) 9:40–43. 10.14802/jmd.15030 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

88. Okada Y, Kita Y, Nakamura J, Kataoka H, Kiriya T, Ueno S, et al.. Galvanic vestibular stimulation may improve anterior bending posture in Parkinson's disease. *Neuroreport* (2015) 26:405–10. 10.1097/WNR.0000000000000360 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

89. Lee S, Kim DJ, Svenkeson D, Parras G, Oishi MM, McKeown MJ. Multifaceted effects of noisy galvanic vestibular stimulation on manual tracking behavior in Parkinson's disease. *Front Syst Neurosci.* (2015) 9:5. 10.3389/fnsys.2015.00005 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

90. Samoudi G, Jivegard M, Mulavara A, Bergquist F. Effects of stochastic vestibular galvanic stimulation and L-DOPA on balance and motor symptoms in patients with Parkinson's Disease. *Brain Stimul.* (2015) 8:474–80. 10.1016/j.brs.2014.11.019 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

91. Khoshnam M, Häner DMC, Kuatsjah E, Zhang X, Menon C. Effects of galvanic vestibular stimulation on upper and lower extremities motor symptoms in Parkinson's Disease. *Front Neurosci.* (2018) 12:633. 10.3389/fnins.2018.00633 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

92. Iwasaki S, Yamamoto Y, Togo F, Kinoshita M, Yoshifuji Y, Fujimoto C, et al.. Noisy vestibular stimulation improves body balance in bilateral vestibulopathy. *Neurology* (2014) 82:969–975. 10.1212/WNL.0000000000000215 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

93. Schniepp R, Boerner JC, Decker J, Jahn K, Brandt T, Wuehr M. Noisy vestibular stimulation improves vestibulospinal function in patients with bilateral vestibulopathy. *J Neurol.* (2018) 265(Suppl. 1):57–62. 10.1007/s00415-018-8814-y [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

94. Goel R, Kofman I, Jeevarajan J. Using Low levels of stochastic vestibular stimulation to improve balance function. *PLoS ONE* (2015) 10:e0136335. 10.1371/journal.pone.0136335 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

95. Pan W, Soma R, Kwak S, Yamamoto Y. Improvement of motor functions by noisy vestibular stimulation in central neurodegenerative disorders. *J Neurol.* (2008) 255:1657–61. 10.1007/s00415-008-0950-3 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

96. Kim DJ, Yogendrakumar V, Chiang J, Ty E, Wang ZJ, McKeown MJ. Noisy galvanic vestibular stimulation modulates the amplitude of EEG synchrony patterns. *PLoS ONE* (2013) 8:e69055. 10.1371/journal.pone.0069055 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
97. Soma R, Nozaki D, Kwak S, Yamamoto Y. 1/f noise outperforms white noise in sensitizing baroreflex function in the human brain. *Phys Rev Lett.* (2003) 91:078101. 10.1103/PhysRevLett.91.078101 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
98. Acarer A, Karapolat H, Celebisoy N, Ozgen G, Colakoglu Z. Is customized vestibular rehabilitation effective in patients with Parkinson's? *NeuroRehabilitation* (2015) 37:255–62. 10.3233/NRE-151258 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
99. Yousif N, Bhatt H, Bain PG, Nandi D, Seemungal BM. The effect of pedunclopontine nucleus deep brain stimulation on postural sway and vestibular perception. *Eur J Neurol.* (2016) 23:668–70. 10.1111/ene.12947 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
100. Hitier M, Sato G, Zhang Y, Zheng Y, Besnard S, Smith PF, et al.. Anatomy and surgical approach to rat's vestibular sensors and nerves. *J Neurosci Meth.* (2016) 270:1–8. 10.1016/j.jneumeth.2016.05.013 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
101. Hitier M, Sato G, Zhang Y, Zheng Y, Besnard S, Smith PF. Vestibular-related eye movements in the rat following selective electrical stimulation of the vestibular sensors. *J Comp Physiol A* (2018) 204:835–47. 10.1007/s00359-018-1286-9 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]